



FAQ GUI Toolkit

- 1 What is a graphical hierarchy?
- 2 What are options?
- 3 What is the difference between a local option and a nonlocal option
- 4 What is the difference in using local options vs. fields?
- 5 What is the difference between the graphical hierarchy and the clas
- 6 I added a button to an HBox but it went somewhere else, Why?

- O Contract Selex
- v Desphasi
- & Printer Precially forces
- TARIFFACE !
- · Tal a Franc

1 What is a graphical hierarchy?

Answer:

Agraphic hierarchy is defined by the nesting of graphical containers. If a graphic is any can contain other graphical objects. These objects are its children in the graphical hierarchy.

2 What are options?

Answer:

An *option* is one way to store a property of an object. (A *field* is another way.) An option default value and if the value of the property is not set, it automatically has this default case, the Curl[™] language doesn't need to physically store a value on the object. This car substantial space savings when the property is seldom set.

Change handlers can be attached to options. A change handler is a block of code that is the value of the option changes.

3 What is the difference between a local option and a nonl

Answer:

The value of a *nonlocal* option is inherited from the parent container if it is not set on the A *local* option is not inherited from its container. If its value is not set, it will have the de specified when the option was declared.

Nonlocal (inherited) options are usually used when it is expected that most objects in a c share the same value. For example, color is a nonlocal option because all text in a given usually the same color. Another way to look at it is this: if you are defining a property ar be able to change its value on a container and have all objects inside the container be af use a nonlocal option.

4 What is the difference in using local options vs. fields?

Answer:

Using a local option can save space if the property usually has the default value. A local allows you to specify a change handler. On the other hand, a local option is slower (both access) and it takes up more space if it is assigned a value. In short, both local and nonl trade speed for convenience and space savings.

5 What is the difference between the graphical hierarchy and the class

Answer:

The class hierarchy is determined by inheritance and is defined at compile time. The graphierarchy is determined by physical containment of graphical objects within one another. undefined until runtime. It can change at runtime if objects are created, deleted, or mov

6 I added a button to an HBox but it went somewhere else. Why?

Answer:

When a Graphic already has a parent, and then you attach it to a new parent, the Graph automatically detached from the old parent. This sometimes happens when you don't ex example, consider this fragment of a Curl applet:

```
{let h:HBox = {HBox "Click here:"}}
{h.add {CommandButton label="Hello"}}
{value h}
```

This surprisingly places the button before the "Click here" text. This is the most common the problem. Here's what happened:

At the top level of a Curl applet, each value is added to the file as it is computed. The Co is added to the HBox, but the result of calling add is the thing that was added, so this is removed from the HBox and added to the document. The {value h} expression then add the document, but by then all it contains is the text.

The solution is to surround all of the code in the value block:

```
{value
  {let h:HBox = {HBox "Click here:"}}
  {h.add {CommandButton label="Hello"}}
  h
}
```

The {value ...} form returns only the last expression evaluated. Thus the result of h.add the button is not moved.

back to top

Privacy Statement Legal Notices Sitemap About Us
Copyright © 1998-2002 Curl Corporation.

All rights reserved. Curl, the Curl logo, Surge, the Surge logo, Surge Lab, and the Surge Lab logo are trademarks of Curl Corporation.



DOWNLOAD | SITEMAP

Solutions

News & Events

Partners

Developers

Cri

Developers

Code Warehouse

Books

Education

Yechnical Support

Print This Page

FAQ

GUI Toolkit 1 What is a graphical hierarchy?

2 What are options?

Home Developers FAQ's FAQ - GUI

What is the difference between a local option and a nonlocal option?

4 What is the difference in using local options vs. fields?

5 What is the difference between the graphical hierarchy and the class hierarchy?

6 I added a button to an HBox but it went somewhere else. Why?





1 What is a graphical hierarchy?

Answer:

A graphic hierarchy is defined by the nesting of graphical containers. If a graphic is any type of Box, it can contain other graphical objects. These objects are its children in the graphical hierarchy.



2 What are options?

Answer:

An option is one way to store a property of an object, (A field is another way.) An option can have a default value and if the value of the property is not set, it automatically has this default value. In this case, the Curl™ language doesn't need to physically store a value on the object. This can result in a substantial space savings when the property is seldom set.

Change handlers can be attached to options. A change handler is a block of code that is run whenever the value of the option changes.

3 What is the difference between a local option and a nonlocal option?

Answer:

The value of a *nonlocal* option is inherited from the parent container if it is not set on the object itself. A local option is



BEST AVAILABLE COPY

Digital Library

IEEE HOME | SEARCH IEEE | SHOP | WEB ACCOUNT | CONTACT IEEE

Membership Public	ations/Services Standards Conferences Careers/Jobs	
IEEE)	Xplore® RELEASE 1.4 United Sta	Welcome tes Patent and Trademark Of
Haid 1200 Taim s 113 Raylaw	INTERPORT OF THE PROPERTY OF T	≫ Axiva
Welcome to IEEE Xplores - Home - What Can I Access? - Log-out	 Enter a single keyword, phrase, or Boolean expression. Example: acoustic imaging (means acoustic and imaging) Limit your search by using search operators and field codes, if desired. Example: optical (fiber fibre) ti 	Search Options: Select publication types: IEEE Journals IEE Journals
Tables of Contents - Journals & Magazines - Conference Proceedings - Standards	3) Limit the results by selecting Search Options. 4) Click Search. See Search Examples local and default	✓ IEEE Conference proceeding ✓ IEEE Standards Select years to search: From year: 1988 ▼ to
Search O- By Author O- Basic O- Advanced Member Services O- Join IEEE O- Establish IEEE Web Account	Start Search Clear Note: This function returns plural and suffixed forms of the keyword(s). Search operators: More Field codes: au (author), ti (title), ab (abstract), ct (conference title), jn (journal name) More	Organize search results by Sort by: Relevance In: Descending Results per pa
O- Access the IEEE Member		

Home | Log-out | Journals | Conference Proceedings | Standards | Search by Author | Basic Search | Advanced Search | Join IEEE | Web Account | New this week | OPAC Linking Information | Your Feedback | Technical Support | Email Alerting | No Robots Please | Release Notes | IEEE Online Publications | Help | FAQ | Terms | Back to Top

Copyright © 2002 IEEE — All rights reserved



Membership Publica	ations/Services Standards Conferences Careers/Jobs	
Communication of the communica	Xplore TM RELEASE 1.4	
Review	aren ouds unis ♡	D) AGIX
Welcome to IEEE Xplore		
O- Home O- What Can I Access? O- Log-out	 Enter a single keyword, phrase, or Boolean expression. Example: acoustic imaging (means acoustic and imaging) Limit your search by using search operators and field codes, if desired. Example: optical <and> (fiber <or> fibre) <in> ti</in></or></and> 	Search Options: Select publication types: Journals Conference proceedings
Tables of Contents	3) Limit the results by selecting Search Options.	✓ Standards
O- Journals & Magazines	4) Click Search. See <u>Search Examples</u>	
O- Conference Proceedings	curl and authoring	Select years to search: From year: All to
O- Standards		
Search	▼	Organize search results by Sort by: Year
O- By Author O- Basic	Start Search Clear	In: Descending ▼ order List 15 ▼ Results per pa
O- Advanced	Note: This function returns plural and suffixed forms of the keyword(s).	- Notation per per
Member Services		
O- Join IEEE	Search operators: <and> <or> <not> <in> More</in></not></or></and>	
O- Establish IEEE	Field codes: au (author), ti (title), ab (abstract), ct (conference	

Home | Log-out | Journals | Conference Proceedings | Standards | Search by Author | Basic Search | Advanced Search | Join IEEE | Web Account | New this week | OPAC Linking Information | Your Feedback | Technical Support | Email Alerting | No Robots Please | Release Notes | IEEE Online Publications | Help | FAQ | Terms | Back to Top



> home : > about : > feedback : > login
US Patent & Trademark Office

Advanced Search

Enter words or phrases separated by commas.

All words include stemmed variations unless they are enclosed in "double quotes". Use only lower case, unless case sensitivity is required.

All items entered will be used as the search criteria. (AND)

Desired Results:
must have all of the words or phrases
curl, web, object-oriented
must have any of the words or phrases
must have any or the words or phrases
must have none of the words or phrases
must have none of the words or phrases
Only search in:
☐ Title ☐ Abstract ☐ Review
*Searches will be performed on all available information, including full text where
available, unless specified above.
ISBN / ISSN: ● Exact ○ Expand
Published:
By: any all none
In: any Oall Onone
III. Gully Call Choice
Cincol.
Since: February ▼ 1993 ▼
Before:
December ▼ 1999 ▼